

06/27/00

PATENT APPLICATION TRANSMITTAL LETTER

(Large Entity)

Docket No.
BS99-124

TO THE ASSISTANT COMMISSIONER FOR PATENTS

Transmitted herewith for filing under 35 U.S.C. 111 and 37 C.F.R. 1.53 is the patent application of:

TIDWELL et al.

For: **TROUBLE TRACKING SYSTEM AND METHOD**

Enclosed are:

- ☐ Certificate of Mailing with Express Mail Mailing Label No.
- ☒ **TEN (10)** sheets of drawings.
- ☐ A certified copy of a application.
- ☒ Declaration ☐ Signed. ☒ Unsigned.
- ☐ Power of Attorney
- ☐ Information Disclosure Statement
- ☐ Preliminary Amendment
- ☐ Other:

CLAIMS AS FILED

For	#Filed	#Allowed	#Extra	Rate	Fee
Total Claims	53	- 20 =	33	x \$18.00	\$594.00
Indep. Claims	6	- 3 =	3	x \$78.00	\$234.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					\$0.00
BASIC FEE					\$690.00
TOTAL FILING FEE					\$1,518.00

- ☐ A check in the amount of to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. **50-1390** as described below. A duplicate copy of this sheet is enclosed.
 - ☒ Charge the amount of **\$1,518.00** as filing fee.
 - ☐ Credit any overpayment.
 - ☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
 - ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).

Dated: **June 27, 2000**

Lawrence D. Eisen
Signature

Lawrence D. Eisen
Reg. No. 41,009
SHAW PITTMAN
2300 N Street N.W.
Washington, D.C. 20037

cc:

APPLICATION FOR UNITED STATES LETTERS PATENT

for

TROUBLE TRACKING SYSTEM AND METHOD

by

**GARY R. TIDWELL
JEFFREY P. RAY**

Shaw Pittman
2300 N Street, N.W.
Washington, D.C. 20037
(202) 663-8000

Attorney Docket No.: BS99-124

936307

TROUBLE TRACKING SYSTEM AND METHOD

BACKGROUND

5 Field of the Invention

The present invention is directed to issue tracking and resolution. More particularly, the present invention is directed to an automated trouble tracking system that receives stores and tracks "tickets" that represent particular problems or issues associated with a process or enterprise, and alerts an appropriate
10 responsible party of an outstanding trouble ticket that needs attention.

Background of the Invention

Large service-oriented enterprises such as banks, insurance companies and telephone companies often establish separate divisions that are responsible for resolving computer, process, or customer problems or issues. For example,
15 computer network problems might cause unacceptable computer downtime and thus must be resolved as soon as possible so that normal operations can proceed. A customer complaint, on the other hand, is a common example of a customer issue. A customer complaint, left unaddressed, may lead to the loss of that customer and thus a decrease in revenue. Accordingly, it is imperative that problems and issues
20 that arise within a business setting be dealt with in a timely and proper manner.

Due to the large size of some organizations and the many customers they service, there is the potential for a large number of issues to arise. These organizations, therefore, often employ several people who can be mobilized

individually or in groups to resolve the myriad of issues that can face a business. Managing these people so that the issues are resolved quickly and correctly, however, is a difficult task.

In response, some businesses have implemented issue management systems, often implemented via software, that are operable to receive issue or trouble “tickets.” Specifically, these systems are designed to receive (and store in a database) a description of an issue, and to assign a ticket number to the description of the issue. The ticket number is used for tracking and resolution purposes. The basic data structure or record of a trouble ticket preferably includes a number of fields in which a user can enter data describing the issue. A trouble ticket number may then be transmitted by, *e.g.*, an electronic mail system to the appropriate maintenance, repair or customer service personnel who are most qualified to resolve the issue. When the issue is resolved, the ticket is “closed out” and the ticket record is stored for later retrieval and analysis.

While the basic functionality of issue management systems has been implemented in the prior art, conventional issue management systems remain deficient in a number of ways. Specifically, even if an email message is sent to alert a responsible party that there is an outstanding trouble ticket, that person may not always have access to his email. Thus, if the problem is sufficiently severe, operations might have to be stopped until that person can be located, informed of the problem, and the problem resolved.

Also, conventional issue management systems are designed for use internally, *i.e.*, within an organization. However, in recent times companies have decide to outsource or contract out various functions, particularly those in the areas of computer infrastructure and field personnel. Thus, it may be desirable to have a non-employee have access to the issue management system.

SUMMARY OF THE INVENTION

The present invention provides a world wide web enabled trouble tracking system (TTS) and method that communicates and tracks issues such as problems, inquiries, notifications and user acceptance testing (UAT) data. The trouble tracking system and method of the present invention includes functionality that improves significantly over conventional issue management systems.

More specifically, the present invention is geared to account for events or problems within a large organization or enterprise. The present invention is described herein using as the primary example the case of a large telephone company that, for example, includes a billing entity that is responsible for customer billing (including levying appropriate taxes and keeping track of rates and services). In the telephone company billing context four issues defined below are those that are tracked for the example of the present invention described herein, although it will be understood by those skilled in the art that any number or type of other issues may also be tracked with the present invention in a wide variety of large organizations.

“Problem” – event, which does not conform to “agreed-to” specifications, or results in incorrect billing, or results in corruption of, related processes. “Problems” are entered in the TTS and sent to the appropriate person(s) within or outside the company for resolution.

5 “Inquiry” – questions concerning customer accounts. Such questions originate, for example, via Customer Operational Units (COUs) (i.e., logical division of a company based on a type of customer, such as small business, consumer, etc., and their needs) and/or Enhanced Billing Services (EBS) (i.e., a specialized group that serves larger or more sensitive customers regarding their
10 billing needs. Inquiries are entered into the TTS and passed on to the appropriate person or group for resolution.

 “Billing Notifications” – special TTS tickets that produce word processing documents. These documents are preferably sent to at least one of a billing unit or COU. The documents provide information relating to, *e.g.*, billing errors, recoveries,
15 refunds and reruns.

 “User Acceptance Testing” (UAT) – features or changes that have not yet been entered into production or implemented. A UAT ticket is entered when a UAT event does not conform to “agreed-to” specifications or could result in incorrect billing, or corruption of related processes. Once entered, UAT tickets are sent to the
20 appropriate persons inside or outside the company, as necessary.

The present invention preferably comprises, at a high level, a client executable file and graphical user interface (GUI). Preferably, also incorporated are server-based components including an email system and a report creation and copying application, a duplicate ticket identification module and connectivity with an automatic paging system. Still further, the present invention preferably includes a portal through which the trouble tracking system's database can be accessed by outside contractors such as outsourced information technology (IT) personnel, whereby consistency between "local" and "offsite" databases can be maintained.

The present invention preferably includes a series of user interface screens that are accessible via the Internet (or an Intranet) using browser software such as Netscape or Microsoft Explorer. A user can add and update TTS tickets by adding and updating information in data fields presented on a display screen. For example, one user interface screen is used to add a new "problem" ticket to the database and includes a field for describing the problem encountered. This user interface screen also preferably includes a field for associating a severity level with the problem. If the severity level is high enough (*i.e.*, above a predetermined threshold) the present invention preferably not only emails a notification of the problem to a "responsible" person, but also initiates a paging call to that person over a paging system.

Another user interface screen is dedicated to adding a new "inquiry" ticket.

Still another user interface screen is dedicated to adding a new “bill notification” ticket.

Other user interface screens include a query screen and a ticket summary screen. The ticket summary screen provides a listing of tickets, outstanding or closed, that are stored in the TTS database. The query and summary screens can be very useful as a management tool.

Another feature of the present invention is the implementation of a duplicate ticket identification function. When a problem is identified and a ticket is entered into the system of the present invention, it is possible that someone else might have already entered a ticket for an identical problem or someone will subsequently enter a ticket for an identical problem or issue. The later-entered ticket might have an identical description or may have a description that, while not identical, can nevertheless be considered to be the same ticket for purposes of resolution. To avoid overloading both the database of the trouble tracking system of the present invention and/or the resources of the personnel who must address and resolve the tickets, the present invention provides a module that (i) periodically screens the outstanding tickets in an effort to identify potential duplicates, (ii) makes available to a system administrator and/or responsible person a listing of the identified duplicates and (iii) permits deletion from the database of one or more duplicate tickets and/or flags the duplicate(s) so that it is no longer considered “open” and will be formally closed when the issue is resolved.

It is therefore an object of the present invention to provide a trouble tracking system and method for entering, tracking, identifying trends and resolving problems and issues.

It is another object of the present invention to provide specific tracking capability for problems, inquiries, billing notification and user acceptance testing.

It is yet another object of the present invention to provide a world wide web-enabled system and method that permits personnel from both within and outside an organization to have access to a trouble tracking system whereby local and offsite databases can remain consistent.

It is another object of the present invention to provide a trouble tracking system that includes a severity level indicator which, if above a certain threshold, causes a paging system to page a responsible party to alert that party of an outstanding trouble ticket.

It is also an object of the present invention to provide a trouble tracking system that searches for duplicate ticket entries and alerts a system user of any such duplicates so that the system user can delete any duplicates as desired, and/or flag them as duplicates.

It is a further object of the present invention to provide a simple graphical user interface to enter, track, determine trends in, and list trouble tickets.

It is also an object of the present invention to provide a trouble tracking system that generates reports.

These and other objects of the present invention will become apparent upon reading the following detailed description in conjunction with the accompanying
5 drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a schematic diagram of a preferred implementation of the present invention.

Figure 2 illustrates an exemplary new ticket input screen for a problem in accordance with the preferred embodiment of the present invention.

Figure 3 illustrates an exemplary new ticket input screen for an inquiry in
15 accordance with the preferred embodiment of the present invention.

Figure 4 illustrates an exemplary new ticket input screen for bill notification in accordance with the preferred embodiment of the present invention.

20 Figure 5 illustrates an exemplary problem resolution screen in accordance with a preferred embodiment of the present invention.

Figure 6 illustrates an exemplary ticket summary screen in accordance with the preferred embodiment of the present invention.

Figure 7 illustrates an exemplary query screen in accordance with the preferred embodiment of the present invention.

Figures 8A-8C are flowcharts illustrating a preferred implementation of the trouble tracking system of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

The present invention, the trouble tracking system (TTS), provides an automated or mechanized system and method to communicate, determine trends and track, *e.g.*, problems, inquiries, notifications and user acceptance testing (UAT) data both within and outside an organization. The TTS facilitates the management and, thus, the final resolution of issues of concern such that the issues are resolved quickly and efficiently.

Figure 1 illustrates a preferred arrangement for implementing the present invention. Specifically, a Trouble Tracking System (TTS) server and database 110 is connected to an electronic network 120, which can be a local area network, a wide area network, the Internet and most preferably a combination thereof. Although TTS server and database 110 are shown as a single unit, the server and database

may be distributed and not even necessarily located in close proximity to each other. That is, the server and database 110 can themselves be interconnected via a network. In the following description, the TTS server and database are discussed as a single unit for convenience, but the present invention is not limited to this architecture. In a preferred embodiment, the server runs Microsoft Windows NT 4.0 and the database is a Sybase SQL server, version 11.0. TTS server and database 110 form the backbone of the TTS. As shown, several users 130 are also connected to network 120 via computers or terminals with displays whereby each user 130 has access to TTS server and database 110 via graphical user interface screens described in detail later herein.

Users 130 preferably are people who have the responsibility for dealing with issues arising in a business's operations. Such issues may be technical in nature, *e.g.*, computer problems, or may be consumer related, *e.g.*, customer complaints. Other issues might include errors that are caught before the results of the errors are passed on to consumers, *e.g.*, errors on bills that have not yet been mailed. This latter type of error or issue is considered a User Acceptance Testing (UAT) issue.

Once such a problem or issue is detected, a user 130 accesses TTS server and database 110 via network 120 and enters a description of the issue that has arisen. Figure 2 shows an exemplary "problem" entry screen. For purposes of the screen of Figure 2, a problem is defined as an event which does not conform to "agreed-to" specifications, or results in a breakdown of a process, *e.g.*, billing.

More specifically, the screen of Figure 2 has a “status” region that indicates the status of the ticket as either open, pending, rejected, diagnosed, approved, disapproved, duplicate, not repeatable, resolved or closed. The status region also includes a field for entering the person who set the status and the date on which the status was set. Also included is a “person responsible” field and a target date which corresponds to a date by which the ticket is to be resolved. Below that region of the screen is a “problem” region, which includes fields to indicate who discovered the problem, the date it was found, and/or the date the problem started. Beneath the “problem” region there is a “verified” region. The information in this region is used to indicate whether the resolution to the problem has been verified (“OK”) or whether the resolution has “failed.”

Towards the upper right of the screen of Figure 2, there are regions for “escalation”, i.e., whether the trouble ticket deserves attention at a higher level of management, and “closed date” which indicates when the ticket is closed, if at all. Below those regions are “entered by” and “initiated by” regions which identify the person or persons responsible for entering the information and/or initiating the entry of the information. Below those latter two regions, there is a region entitled “category,” which preferably is used to identify the process in which the problem occurs and, more specifically, the root of that process. Also included are various other pieces of information that may be useful for ticket tracking purposes, such as “release number” for , e.g., software version, “CPATS #” for proprietary work request number, “journals” for indicating whether a certain group (e.g., the journals

group) has been reported to, “contacted” (to denote if the problem has been reported to the COUs) and “RF6355” (to denote if the problem was received as a certain kind of inquiry).

There is also space in the screen shown in Figure 2 for entering a brief description of the problem. On the left-hand side of the screen, there is a “severity” field where the user can indicate, for example on a scale from 1-4, what the severity of the open or outstanding ticket is. Further, on the left-hand side of the screen of Figure 2 is a region entitled “sites” for indicating which geographical sites associated with a business might be affected by the problem or issue that is being added to the trouble tracking system database.

At the bottom of the screen shown in Figure 2 are a series of command buttons which include conventional functions such as adding, copying, deleting, saving, canceling, printing, editing and closing the screen or information entered in the screen, as the case may be. On the left-hand side of the command buttons is the command button “e-mail”. If the e-mail button is depressed, then the person indicated in the field in the “person responsible” region is automatically e-mailed with an alert that an outstanding ticket has been assigned to that person. More preferably, an email message is automatically created and sent when a ticket is initially created. The email button may then be used when a change is made to a ticket and the change is determined to be significant. Preferably the present invention includes a lookup table (or a link thereto) listing the possible persons who might be indicated as a “person responsible” and their respective email addresses.

Figure 1 schematically illustrates e-mail server 190 connected both to TTS server and database 110 and network 120 to effect the e-mail function of the present invention.

Also connected to TTS server and database 110 is a modem 140, which is further, connected to a paging system 170. In accordance with the present invention, when the severity level indicated in the severity field in the upper left-hand corner of the screen of Figure 2 is above a certain threshold, *e.g.*, 3, the person indicated as the “person responsible” is also automatically paged. Though not shown, the present invention also preferably includes a lookup table (or a link thereto), which matches the possible responsible persons with their paging numbers, whereby when the severity level is above the threshold, the paging function is automatically launched. The page preferably includes text information including the trouble ticket number. Those skilled in the art will appreciate that paging may also be effected without the use of a modem.

Figure 3 illustrates a new ticket input screen for an inquiry. In this case, there are fewer regions to complete since an inquiry is a trouble ticket that is initiated from an outside source and, thus, it is usually irrelevant who discovered and/or initiated the problem in the first place. The field “AI validation” in Figure 3 preferably indicates whether the a billing department, for example, is actually responsible for resolving the ticket, *i.e.*, is the ticket valid for a particular department.

Figure 4 is a screen that preferably is used to add a new ticket for bill notification. In this case, there are fields directed to bill notification-specific information, such as whether the ticket is related to a refund, recovery, rerun or usage.

5 Figure 5 illustrates an exemplary problem resolution screen in accordance with the preferred embodiment of the present invention. This screen is accessed via the "Text Fields" tab at the top of the screen. As can be seen near the bottom of the screen of Figure 5, text boxes are available for several fields of a trouble ticket record. Figure 5 illustrates a resolution field in which a user details how, e.g., a
10 problem was resolved.

Figure 6 illustrates a ticket summary screen in accordance with a preferred embodiment of the present invention. In this screen, each of the tickets is ordered by ticket number (ID), its entry date, and its brief description. Accordingly, a user
130 can easily search through the different types of tickets based on, if desired, a query, which can be set to filter and order tickets by "person responsible" or any
15 other searchable field of the trouble ticket record, e.g., specific dates. In a preferred embodiment, the summary screen of Figure 6 is the default screen of the TTS and is displayed first when initially logging on to the system.

Figure 7 shows a listing of saved queries. The other tabs at the top of this
20 exemplary screen may be selected to display tickets in accordance with different criteria, e.g., by which entity the ticket is related, date, what type of impacts the

ticket might have on other systems/processes, by miscellaneous criteria or in accordance with selected sorting criteria (none are shown, but are all easily implemented by those skilled in the art using well-known database manipulation techniques).

5 Figures 8A-8C are flow charts illustrating a preferred implementation of the trouble tracking system of the present invention. The flowcharts depict the case of both internal and external/outsourced trouble ticket management, and specifically for the case of an outsourced information technology (IT) group. In the following discussion, “internal” or internal person/personnel refers to the organization that
10 controls the TTS, while “outsourced personnel/organization” refers to the external or outsourced IT organization.

Referring to Figures 8A-8C, a TTS ticket is created at step 800 by, for example, inputting a new problem ticket via a screen such as the screen shown in Figure 1. At step 802, it is determined whether there is a ticket having a status of
15 “open internal.” That is, it is determined whether the ticket created at step 800 is still outstanding. If there is a ticket that is outstanding and is open to internal personnel, then at step 804 an internal employee works on and resolves the problem described by the ticket. Once the ticket has been properly resolved, the status of the ticket is changed to closed as shown at step 806.

20 If the ticket that was entered at step 800 was a ticket that should be assigned to outsourced personnel, then it is determined at step 810 whether there is an open

external ticket that is meant for the outsourced organization. If not, then the process returns to step 802 to determine if there are any other open tickets. This loop continues for as long as the system is running. If there is an open ticket assigned to an outsourced organization, then after the trouble ticket record is received by the outsourced organization, step 812, the process proceeds to step 814 where the status field in the ticket record is changed to "pending." In accordance with the present invention, the outsourced organization preferably is given access to the trouble tracking system server and database 110 so that the outsourced organization can receive assigned "open" tickets and update trouble tracking system database and server 110 in an appropriate manner. Access to TTS server and database 110 is preferably implemented via a world wide web portal that the outsourced organization can reach via the Internet. Thus, the outsourced organization preferably monitors TTS server and database 110 for tickets that have been assigned to the outsourced organization and have status fields of "open."

When an "open" status is detected, the outsourced organization receives the data associated with the ticket, *i.e.*, the description of the problem and any other desired information, and loads that information into its own management system. Status is then changed to "pending" at step 814. Thereafter, at step 816, the outsourced organization creates a Defect Change Request (DCR) and transmits that DCR to the TTS server and database 110. At that point, as shown at step 818, TTS server and database 110 updates the "assigned to" field so that the internal

personnel have a tracking number with which to coordinate with the outsourced organization.

At step 820, as shown in Figure 8A, a manager in the outsourced organization assigns the DCR to a particular programmer. This information is then transmitted to TTS server and database 110 and the programmer's name is then added to the appropriate field, as shown in step 822. When the programmer, in step 824, changes the status of the ticket, that information is transmitted to and received by TTS server and database 110 at step 826.

Figure 8B illustrates a verification process with respect to an allegedly resolved ticket. Specifically, at step 830 it is determined whether the outsourced organization has rejected the ticket altogether. That is, the outsourced IT organization might not believe that the problem described by the ticket is its responsibility or fault. If the ticket was not rejected by the outsourced organization, then at step 832 it is determined if the problem described in the ticket was properly diagnosed. If yes, then at step 834, the status of the ticket is appropriately changed to "diagnosed".

If the problem was not properly diagnosed, then at step 836, the outsourced organization may "disapprove" the ticket as, for example, being assigned to the wrong group within the outsourced organization. If the problem was diagnosed and not disapproved, then the process continues to step 838 where the internal

personnel approve of the disposition or resolution of the ticket. If so, at step 840 the status of the ticket is changed to "resolved".

Returning to step 830, if the outsourced organization indicated that it believed that the ticket is not an IT problem, then the process proceeds to step 842.

5 If the internal personnel agree with IT's assessment, then at step 844 "OK" is checked in the "verified" region of Figure 1, for example, and at step 846, a new ticket is opened if needed. If at step 842, the internal personnel do not agree that the problem is not an IT problem, then the "failed" indicator is checked in the "verified" region of Figure 1 and at step 852 the programmer, who is indicated as
10 being responsible for resolving the issue, is contacted and the ticket is discussed with that programmer to attempt to resolve the issue. The process then returns to step 830.

If at step 836 the outsourced organization believes that the ticket was assigned to the wrong IT group or area, then the internal personnel proceed with
15 steps 860, 862, and 864, or 866 and 868 which are similar to steps 842-852, discussed above.

Figure 8C depicts steps 870-878. The steps of Figure 8C follow step 838 or step 840 of Figure 8B and are invoked if a ticket has been resolved or has been properly rejected or disapproved by the outsourced organization. The process of
20 Figure 8C starts with step 870 wherein, if the ticket has not been properly resolved for any reason, then the process returns to step 830, i.e., the top of Figure 8B. On

the other hand, if the issue or problem has been resolved, then at step 872, the internal personnel have the chance to agree or disagree with the final resolution. If there is agreement with the resolution, then the "OK" indicator is checked in the "verified" region of Figure 1, as shown in step 874, and if there is disagreement with the final resolution, then at step 876, the "failed" indicator is checked in the "verified" region of Figure 1. Thereafter, the programmer that is responsible for resolving the issue is contacted, as shown in step 878 and the issue is resolved with the programmer and the process returns to step 830, i.e., the top of Figure 8B. Ultimately, the status of the ticket will be changed to "closed".

Thus, as shown in Figure 8A-8C, the present invention continuously checks for new tickets and, when the ticket is assigned to an outsourced organization, is capable of effectively tracking the progress and ultimate resolution of that ticket even though the "person responsible" is not an internal employee.

Another feature of the present invention is that of duplicate ticket identification, a feature that has significant advantages. For example, a large telephone company might mail thousands of bills in a single billing period. If a program error causes bills to be incorrect, then it is not unlikely that many customer complaints might be received. While each of the customer bills must be corrected, each instance of which could be entered in the TTS, there is only a single instance of the computer program bug which must be corrected. Thus, only a single ticket should be assigned to a "person responsible" to resolve the computer error. However, several tickets might be entered into the TTS by different people (e.g.,

different customer service representatives) before it is realized that multiple tickets are being assigned for the same problem.

In accordance with the present invention a duplicate ticket module or search engine 150 is in communication with the database of the TTS server and database

5 110. To avoid overloading both the database of the TTS and/or the resources of the personnel who must address and resolve the tickets, the present invention provides a module 150 that (i) periodically screens the outstanding tickets in an effort to identify potential duplicates, (ii) makes available to a system administrator and/or responsible person a listing of the identified duplicates and (iii) permits deletion
10 from the database of one or more duplicate tickets or flags the duplicate(s) so that it is no longer considered “open” and will be formally closed when the issue is resolved. Duplicate search module 150 may run SQL searches on the database to try to identify duplicate strings in the description field duplicate “person responsible” and/or dates that tickets were added.

15 If an exact or potential duplicate ticket is identified, then those tickets are either saved in a separate file and/or displayed for a user of the TTS, e.g., via a query. The user preferably has the ability to delete a confirmed duplicate or, most preferably, the user has the ability to “flag” one of more of the duplicates, leaving a single ticket that represents all the duplicates. A flag field (not shown) preferably
20 includes the ticket number of the representative ticket and when the representative ticket is closed, the duplicate tickets will likewise be closed.

The present invention preferably also includes a report creation module 195. Several different reports can be run based on the data (tickets) in the TTS database. These reports are useful for tracking and trending tickets that have been assigned to people throughout an organization and are extremely helpful as management tools. Although shown as a separate unit, report creation module 195 may be incorporated in the same computer as TTS server and database 110.

In the preferred embodiment of the present invention, six reports are preferably available through report creation module 195:

Manager Reports – provides ticket information relevant to each manger group. This report preferably includes various reports for those tickets “entered” and/or “assigned” to a particular manger group.

Escalation Reports – these reports provide information regarding escalation candidates and tickets escalated, i.e., tickets that have not been timely resolved and thus have been escalated in severity.

Notification Reports – provide information relative to billing notification, recoveries, refunds and billing reruns.

Ticket Reports – these reports are either detailed or in a listing.

Inquiry Reports – preferably include three options: generate last month’s numbers, generate all reports and generate individual reports.

Maintenance Reports – prints the current User list and is used primarily for administrative purposes.

The foregoing reports preferably are created as desired via SQL searches and printed or displayed in a format that conveys the information quickly and clearly.

5 The foregoing disclosure of embodiments of the present invention has been presented for purposes of illustration and description. It is not intended to be exhaustive or to limit the invention to the precise forms disclosed. Many variations and modifications of the embodiments described herein will be obvious to one of ordinary skill in the art in light of the above disclosure. The scope of the invention
10 is to be defined only by the claims appended hereto, and by their equivalents.

WHAT IS CLAIMED IS:

1. A trouble tracking system, comprising:

a server in communication with an electronic network;

a database in communication with the server, the database storing a

5 plurality of trouble tickets;

a user computer in communication with the network and having access, via a graphical user interface (GUI), to the server, the graphical user interface including at least one screen, the screen being operable to enter a new trouble ticket along with (i) a person responsible for resolving the ticket and (ii) a severity level for the trouble ticket, and to store the trouble ticket in the database; and

a paging system, in communication with the server, wherein when the severity level associated with the trouble ticket is above a predetermined threshold, the server automatically initiates a call to the person responsible via the paging system.

2. The trouble tracking system of claim 1, further comprising an email server, wherein the email server automatically sends an email message to the person responsible for resolving the ticket and the email message includes at least a trouble ticket number.

3. The trouble tracking system of claim 1, further comprising a report creation module, the report creation module being operable to generate reports based on the plurality of trouble tickets stored in the database.

5 4. The trouble tracking system of claim 1, further comprising a duplicate search module, the duplicate search module identifying at least one of an actual or a potential duplicate trouble ticket stored in the database.

10 5. The trouble tracking system of claim 4, wherein the duplicate search module lists at least one pair of the actual or potential duplicate trouble tickets.

15 6. The trouble tracking system of claim 1, wherein the trouble tickets comprise at least one of a problem, an inquiry, a bill notification and a user acceptance data issue.

 7. The trouble tracking system of claim 1, further comprising a means for communicating with and sharing trouble ticket data with another organization.

20 8. The trouble tracking system of claim 1, wherein the database further stores information relating to whether a resolution of a trouble ticket, proposed by outsourced personnel, has been verified.

9. The trouble tracking system of claim 1, wherein the database further stores status information.

10. The trouble tracking system of claim 1, wherein the database further stores information associating a trouble ticket to a geographical region.

11. The trouble tracking system of claim 1, wherein the network comprises the Internet.

12. A system for managing issue resolution, comprising:
a plurality of computers interconnected in a network, one of the computers including a trouble ticket database and an executable program for accessing and updating the database and each of the computers having access to a graphical user interface (GUI), the GUI including at least one screen operable to add a new trouble ticket to the database, each trouble ticket including at least (i) a description of the an issue, (ii) a person responsible for resolving the issue and (iii) a severity level of the issue;

an email system in communication with the executable program, the executable program automatically emailing a trouble ticket number to the person responsible for resolving the issue; and

a paging system, the paging system automatically paging the person responsible for resolving the issue when the severity level of the trouble ticket is above a predetermined threshold.

5 13. The system of claim 12, wherein the paging system transmits the trouble ticket number.

10 14. The system of claim 12, wherein the screen operable to add a new trouble ticket includes fields for indicating the status of the trouble ticket and closed date of the trouble ticket.

15 15. The system of claim 12, wherein the trouble ticket is associated with a geographical area.

20 16. The system of claim 12, wherein the trouble ticket is one of a problem, an inquiry, a bill notification and user acceptance testing data.

 17. The system of claim 12, further comprising a duplicate trouble ticket module.

 18. The system of claim 12, further comprising a report creation module.

19. The system of claim 12, wherein the database is accessible via the Internet.

20. The system of claim 12, wherein an outsourced organization updates the database.

21. A trouble tracking system for monitoring trouble tickets, comprising:
a central computer including an executable program and a database wherein the database stores a plurality of trouble tickets, each trouble ticket including a trouble ticket number, an issue description and a duplicate ticket flag;

a plurality of user computers connected to the central computer via a network, the user computers displaying a graphical user interface (GUI) that permits entry and updating of trouble tickets in the database; and

a duplicate ticket module operable to search the database for actual or potential duplicate trouble tickets, the duplicate ticket module making available a list of actual or potential duplicate trouble tickets,

wherein one or more duplicate trouble tickets are flagged with a trouble ticket number of a representative trouble ticket.

22. The trouble tracking system of claim 21, further comprising a paging system.

23. The trouble tracking system of claim 22, wherein each trouble ticket further includes an indication of severity and a person responsible field and when the indication of severity exceeds a predetermined threshold, the person identified in the person responsible field is paged.

5

24. The trouble tracking system of claim 23, further comprising an email server, wherein the person identified in the person responsible field is sent an email alerting him that he has been assigned a trouble ticket.

25. The trouble tracking system of claim 21, further comprising GUI screens for adding a problem, an inquiry, a bill notification and a user acceptance data issue to the database.

26. The trouble tracking system of claim 21, further comprising means for communicating with an outsourced organization.

27. The trouble tracking system of claim 26, wherein the means for communicating comprises the Internet.

28. The trouble tracking system of claim 21, wherein the database stores information associating a trouble ticket to a geographical region.

29. A method for tracking trouble tickets, comprising the steps of:

providing a trouble ticket database;

accessing, via a network, a graphical user interface (GUI), the graphical user interface including at least one screen, the screen being operable to enter a new

trouble ticket along with (i) a person responsible for resolving the trouble ticket and

(ii) a severity level for the trouble ticket, and to store the trouble ticket in the

database; and

paging the person responsible when the severity level associated with the trouble ticket is above a predetermined threshold.

30. The method of claim 29, further comprising emailing the person responsible with at least a trouble ticket number.

31. The method of claim 29, further comprising creating a report based on a plurality of trouble tickets stored in the database.

32. The method of claim 29, further comprising searching the database for duplicate trouble tickets.

33. The method of claim 29, wherein the trouble tickets comprise at least one of a problem, an inquiry, a bill notification and a user acceptance data issue.

34. The method of claim 29, further comprising communicating with and sharing trouble ticket data with an outsourced organization.

35. The method of claim 29, further comprising verifying a resolution of a trouble ticket, proposed by outsourced personnel, and storing information indicative of verification.

36. The method of claim 29, further comprising storing status information.

37. The method of claim 29, further comprising storing information associating a trouble ticket to a geographical region.

38. A method for managing issue resolution, comprising the steps of:

connecting a plurality of computers in a network, one of the computers including a trouble ticket database and an executable program for accessing and updating the database and each of the computers having access to a graphical user interface (GUI), the GUI including at least one screen operable to add new trouble ticket to the database, each trouble ticket including at least (i) a description of an issue, (ii) a person responsible for resolving the issue and (iii) a severity level of the issue;

emailing a trouble ticket number to the person responsible for resolving the issue; and

automatically paging the person responsible for resolving the issue when the severity level of the trouble ticket is above a predetermined threshold.

39. The method of claim 38, further comprising transmitting the trouble ticket number in the paging step.

40. The method of claim 38, further comprising storing a status of the trouble ticket and a closed date of the trouble ticket.

41. The method of claim 38, further comprising associating the trouble ticket with a geographical area.

42. The method of claim 38, wherein the trouble ticket is one of a problem, inquiry, a bill notification and user acceptance testing data.

5 43. The method of claim 38, further comprising searching for duplicate trouble tickets.

44. The method of claim 38, further comprising creating a report based on a plurality of trouble tickets.

10 45. The method of claim 38, further comprising accessing the database via the Internet.

15 46. A method for monitoring trouble tickets, comprising the steps of:
storing in a database, resident on a central computer, a plurality of trouble tickets, each trouble ticket including a trouble ticket number, an issue description and a duplicate ticket flag;

providing a plurality of user computers connected to the central computer via a network, the user computers displaying a graphical user interface (GUI) that
20 permits entry and updating of trouble tickets in the database;

searching the database for actual or potential duplicate trouble tickets;

displaying a list of actual or potential duplicate trouble tickets; and

flagging one or more duplicate trouble tickets including indicating a trouble ticket number of a representative trouble ticket.

47. The method of claim 46, further comprising paging a person responsible
5 for resolving a trouble ticket.

48. The method of claim 46, wherein each trouble ticket further includes an indication of severity and a person responsible field, and when the indication of severity exceeds a predetermined threshold, paging the person identified in the
10 person responsible field.

49. The method of claim 46, further comprising emailing a person responsible for resolving the trouble ticket.

50. The method of claim 46, further comprising displaying GUI screens for
15 adding a problem, an inquiry, a bill notification and a user acceptance data issue to the database.

51. The method of claim 46, further comprising exchanging information in
20 the database with an outsourced organization.

52. The method of claim 51, wherein the exchanging step is performed via the Internet.

53. The method of claim 46, further comprising associating a trouble ticket to
5 a geographical region.

ABSTRACT OF THE DISCLOSURE

A trouble ticket tracking system and method including a server in communication with an electronic network and a database for storing trouble tickets in communication with the server. A user computer is in communication with the network and has access, via a graphical user interface (GUI), to the server. The graphical user interface includes at least one screen which is operable to enter a new trouble ticket along with (i) a person responsible for resolving the ticket and (ii) a severity level for the trouble ticket, and to store the trouble ticket in the database. A paging system is also in communication with the server and when the severity level associated with a new trouble ticket is above a predetermined threshold, the server automatically initiates a call to the person responsible via the paging system. A duplicate ticket search engine is also preferably included to identify actual or potential duplicate trouble tickets, list any such duplicates and permit deletion thereof or a flagging thereof whereby when a representative ticket is closed out, the duplicate trouble ticket is also closed out.




Figure 1

TTS - Detail Display - Problem (Adding a New Ticket)									
Internal		External		Impacts		Text Fields			
Severity 4		Status Of Open		Escalation Type No Escalation		Closed Date 00/00/0000			
		Set By TIDWELL, GARY R		Date 05/01/1997					
Sites		Person Responsible				Entered By			
<input type="checkbox"/> AL <input type="checkbox"/> JAC <input type="checkbox"/> FTL <input type="checkbox"/> MIA <input type="checkbox"/> ATL <input type="checkbox"/> MAC <input type="checkbox"/> KY <input type="checkbox"/> LA <input type="checkbox"/> MS <input type="checkbox"/> NC <input type="checkbox"/> SC <input type="checkbox"/> TN <input type="button" value="All"/>		<input type="text"/> <input type="button" value="v"/>				<input type="text"/> <input type="button" value="v"/>			
		Target Date 05/12/1997		Initiated By TIDWELL, GARY R		Date 05/01/1997			
		Problem Discovered By		Category Process		Root			
		<input type="text"/> <input type="button" value="v"/>		<input type="text"/> <input type="button" value="v"/>		<input type="text"/> <input type="button" value="v"/>			
		Date Found 00/00/0000		Release Number		<input type="text"/> <input type="button" value="v"/>			
		Date Started 00/00/0000							
		Verified OK <input type="checkbox"/> Failed <input type="checkbox"/>		CPATS #		Job Name			
		Date 00/00/0000		<input type="button" value="Reset"/>		<input type="checkbox"/> Journals		<input type="checkbox"/> Contacted	
								<input type="checkbox"/> RF6355	
Brief Description									
<input type="button" value="Email"/> <input type="button" value="Print"/> <input type="button" value="Copy"/> <input type="button" value="Paste"/> <input type="button" value="Save"/> <input type="button" value="Cancel"/> <input type="button" value="Find"/> <input type="button" value="Edit"/> <input type="button" value="Close"/>									

Figure 2

TTS - Detail Display - Inquiry (Adding a New Ticket)

☒ Main Inquiry ☐ Text Fields

Sites <input checked="" type="checkbox"/> AL <input type="checkbox"/> JAC <input type="checkbox"/> FTL <input type="checkbox"/> MIA <input type="checkbox"/> ATL <input type="checkbox"/> MAC <input type="checkbox"/> KY <input type="checkbox"/> LA <input type="checkbox"/> MS <input type="checkbox"/> NC <input type="checkbox"/> SC <input type="checkbox"/> TN	Status Of <input type="text" value="Open"/>	Closed Date <input type="text" value="00/00/0000"/>
	By <input type="text" value="RAY, JEFF"/>	Entered By <input type="text" value="RAY, JEFF"/> Date <input type="text" value="02/10/2000"/>
	Date <input type="text" value="02/10/2000"/>	RF635 Date <input type="text" value="00/00/0000"/>
	Person Responsible <input type="text" value="RAY, JEFF"/>	AI Validation <input type="text" value="AI - Valid"/>
	Target Date <input type="text" value="00/00/0000"/>	<input type="checkbox"/> Contacted

Brief Description

Figure 3

20250327 16:40:50

TTS - Detail Display - Bill Notification (Adding a New Ticket)

☒ Main
 ☐ Billing Notification
 ☒ Impacts
 ☐ Text Fields

Status
 Notification:

Refund/Recovery/Rerun
☐ Refund
☒ Recovery
☐ Usage
☐ Rerun
☐ Related

Sites
☒ AL
☐ JAC
☐ ETL
☐ MIA
☐ ATL
☐ MAC
☐ KY
☐ LA
☐ MS
☐ NC
☐ SC
☐ TN

Date
 Resolved:
 Specs:
 Closed:
 Referred:

Name:
 Close Date:
 Problem Discovered By:
 Entered By:
 Date Found: Date Started:

Contact Information
 Internal Name: Phone: Pager:
 External Name: Phone:

Process Category:
 Root Cause Category:

CPATS:
☐ Bill Mailed Incorrectly ☐ Interest ☐ RF6354

Brief Description:

Figure 4

TTS - Detail Display - Problem

CBS ITB Impacts Text Fields

0 1 2 3 4 5 6

Description Impact Summary Root Cause Summary Resolution Preventative Action

Email Exit Copy Delete Save Cancel Print Exit Close

Figure 5

CBS Trouble Tracking System - [20 tickets retrieved]		
File Reports Windows Help		
Ticket	Problem	Query: Display:
ID	Entry Date	Brief Description
145	05/16/1996 03:25PM	INTRALATA/INTERSTATE LTM CALLS BILLED INCORRECTLY AS TOLL TO LANDLINE CUSTOMER
96639	03/25/1997 12:50PM	BSLD ACCOUNT #1 DURATION OF CALLS IS INCORRECT.
100937	04/11/1997 03:24PM	BSLD ACCT 31 CALLS NOT GIVEN DISCOUNT FOR TERM PLAN
102099	05/01/1997 04:11PM	RELEASE 97.A / OLEC : USAGE ON MP-4027
102104	05/02/1997 08:14AM	MONTHLY SETTLEMENT REPORT NOT CREATED FOR .NET
102893	05/16/1997 03:13PM	UF027 ERRORS - KAPLAN
105141	05/19/1997 05:07PM	WATSSAVER ON WATS & TOLL FREE DIALING
106771	06/02/1997 04:01PM	UF038 ERRORS ON PBC ACCTS IN N.C.
106012	06/05/1997 02:06PM	RELEASE 97.A - DIFFERENCE BETWEEN RATING & MAVRIC BILLING 800 USAGE.
112846	06/11/1997 03:45PM	INCREASE IN MOU IN CELLULAR (MP-3108)
113345	06/18/1997 02:58PM	PLAN RECORD WAS NOT SENT TO BSLD VIA CIF
113457	06/20/1997 09:52AM	UBO - NEED TO HAVE NEW RALEIGH EXCHANGE ADDED TO ECC TABLES
113537	06/23/1997 09:35AM	BSLD GA ACCT 59 TERM DISCOUNT INCORRECT
113538	06/23/1997 09:37AM	BSLD GA ACCT 13 , 59 NOT TAXING CORRECTLY
123717	07/24/1997 08:50AM	BSLD GA PCC INTERNATIONL TO INTERNATIONL CALLS SHOULD NOT BE TAXED
126395	08/13/1997 02:39PM	ACCOUNT CODES ARE BEING INCORRECTLY ASSIGNED FOR DA CALLS AND MIN. SETTLE. AMTS.
128445	08/14/1997 11:15AM	UBO - ISDN CUSTOMER NOT RECEIVING CALL ALLOWANCE IN SC
Ready		

Figure 6

0042390 " 27640360

Query - Problem Tickets

☐ List
 ☐ Entities
 ☒ Dates
 ☐ Impact
 ☐ Misc
 ☐ Sort

Ticket Type:
 Owner:

Name	Created	Modified	Last Run	# Hits (last run)
David Wheeler Test Query	10-02-1998	10-02-1998	07-21-1999	11
Gary's Tickets	03-19-1998	03-19-1998	05-15-1999	0
Gene's Default Query	09-10-1998	09-13-1998	07-20-1999	0
Joy Test	02-02-2000	02-02-2000		0
TTS User Delete Query - Problem Tickets	07-26-1999	07-26-1999	08-04-1999	7
test3	02-04-2000	02-04-2000	02-04-2000	38

Figure 7




Figure 8A




Figure 8B




Figure 8C

Docket No.
BS99-124

Declaration and Power of Attorney For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled
TROUBLE TRACKING SYSTEM AND METHOD

the specification of which

(check one)

☒ is attached hereto.

☐ was filed on _____ as United States Application No. or PCT International Application Number _____ and was amended on _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)			Priority Not Claimed
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/>
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/>
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/>

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional application(s) listed below:

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, C. F. R., Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. *(list name and registration number)*

Lawrence J. Gotts - Reg. No. 31,163
 Michael D. Bednarek - Reg. No. 32,329
 Aslan Baghdadi - Reg. No. 34,542
 Elizabeth M. Roesel - Reg. No. 34,878
 David C. Isaacson - Reg. No. 38,500
 Michael S. Lee - Reg. No. 41,434

Steven P. Arnheim - Reg. No. 43,475
 Poh C. Chua - Reg. No. 44, 615
 Michele M. Burris - Reg. No. 44,576
 Michael A. Oblon - Reg. No. 42,956
 Lawrence D. Eisen - Reg. No. 41,009

all of: SHAW PITTMAN
 2300 N Street, N.W.
 Washington, D.C. 20037

Send Correspondence to: Lawrence D. Eisen, Esq.
 SHAW PITTMAN
 2300 N Street N.W.
 Washington, D.C. 20037

Direct Telephone Calls to: *(name and telephone number)*
 Lawrence D. Eisen (202) 663-8893

Full name of sole or first inventor Gary R. Tidwell	
Sole or first inventor's signature	Date
Residence	
Citizenship	
Post Office Address	

Full name of second inventor, if any Jeffrey P. Ray	
Second inventor's signature	Date
Residence	
Citizenship	
Post Office Address	